




STANDING SEAM

The best of G-Rib + concealed fasteners



INSTALL ROOFS THAT LAST. RESIST FADING. BE STELLAR.



CERAM-A-STAR® 1050

CERAM-A-STAR® is a registered trademark of AkzoNobel

KAUFFMAN'S STANDING SEAM PANEL

Standard: 26-gauge

Optional: 24-gauge

AkzoNobel Protection ✓	Lasting Durability ✓	Contractor Support ✓
---------------------------	-------------------------	-------------------------

- Lifetime Warranty * (See website for details.)
- 1½ " rib height
- Standard: 17"-width. Optional: 12", 16" and 19⅞" (Different color palettes. Order well in advance.)
- Minimum roof slope: 3:12
- Snap-together panel system
- Concealed clip designed for thermal movement
- Finishes: Ceram-A-Star 1050 (SMP)—standard, Kynar 500 (PVDF)—optional. Ask for details.

* WARRANTY INFO *



What contractor support can you expect?

1. We roll your panels on-site.
2. We custom cut your panels!
3. We roll out and stack your panels for you, along with the other supplies you need to finish your project.

The wins? A tighter, stronger, and more attractive building!

We Are UL-Certified

UL Listing Number: R40644

UL 580 Standard for tests for uplift resistance of roof assemblies

UL 790 Standard test methods for fire tests of roof coverings

UL 2218 Impact resistance of prepared roof covering materials

How we make your panels durable

1. First, we coat the panel with Galvalume, a patented aluminum-zinc alloy coating for extra protection.
2. Next, the panels are bonderized, and we apply an OPTIMA Primer for flexibility.
3. Finally, over the OPTIMA base, we apply CERAM-A-STAR. CERAM-A-STAR is a ceramic, pigmented silicone polyester, which provides strength, hardness, and durability against harsh weather conditions.

Layers of Excellence from Bottom to Top

- Pigmented Backer
- Urethane Primer
- Bonderizing Treatment
- Zinc/Aluminum Coating
- Steel Substrate
- Ceramic/Inorganic Pigmented Silicone Polyester Baked Enamel

WHY CERAM-A-STAR?

- It's extremely resistant to mildew.
- It protects against sun, wind, rain, heat, and cold.
- It doesn't blister, peel, or flake.
















ABOUT: AkzoNobel

AkzoNobel is a world-leading paint and coating manufacturer based in the Netherlands. Their coatings and paint are highly regarded by manufacturers and contractors alike.

Standing Seam Perks

- Easy installation
- Classy look
- Concealed fasteners = no leaks
- Sturdy and weathertight
- Resists dents
- Minimal expansion and contraction
- Formed from domestically sourced, premium-quality, Grade 50 steel coils

Trim available in 24-gauge and 26-gauge

<p>Ridge Cap (#100)</p>  <p>Painted side</p> <p>Open Hem</p> <p>Lengths: *10' 6"</p>	<p>Hip Cap (#101)</p>  <p>Painted side</p> <p>Open Hem</p> <p>Lengths: *10' 6"</p>	<p>Z-Rake (#102)</p>  <p>Painted side</p> <p>Open Hem</p> <p>Lengths: 8' 4" 16' 4" 10' 4" 18' 4" 12' 4" 20' 4" 14' 4"</p>
<p>Z-Rake Starter</p>  <p>Lengths: 10' 4"</p>	<p>J-Rake (#103)</p>  <p>Painted side</p> <p>Open Hem</p> <p>Lengths: 8' 4" 16' 4" 10' 4" 18' 4" 12' 4" 20' 4" 14' 4"</p>	<p>J-Rake Starter</p>  <p>Lengths: *10' 4"</p>
<p>Z-Closure (#104)</p>  <p>Lengths: *10' 4"</p>	<p>Starter J (#105)</p>  <p>Lengths: *10' 4"</p>	<p>Extended Eave Trim (#106)</p>  <p>Painted side</p> <p>*Specify roof pitch*</p> <p>Lengths: 10' 4"</p>
<p>Endwall Flashing (#107)</p> <p>*Specify roof pitch*</p>  <p>Painted side</p> <p>Open Hem</p> <p>Lengths: *10' 4"</p>	<p>Sidewall Flashing (#108)</p>  <p>Painted side</p> <p>Lengths: *10' 4"</p>	<p>Offset Cleat (#109)</p>  <p>Lengths: *10' 4"</p>
<p>Rake Cleat (#110)</p>  <p>Lengths: *10' 4"</p>	<p>Counter Flashing (#111)</p>  <p>Lengths: *10' 4"</p>	<p>Transition Flashing (#112)</p> <p>*Specify roof pitch*</p>  <p>Varies based a roof pitch</p> <p>Open Hem</p> <p>Lengths: 10' 4"</p>

6146 Lincoln Highway
Bedford, PA 15522



Tel. 814.623.6044
Fax: 814.623.5599
Kauffmanmetals.com