

R-RIB PANEL

The robust panel for commercial applications







INSTALL ROOFS THAT LAST. RESIST FADING. BE STELLAR.







26-GAUGE R-RIB PANEL



- Lifetime Warranty * (See website for details.)
- 1¼ " rib height
- 1" rib width at the top, 3 5/64" width at the bottom
- 12" span between ribs
- Easy installation
- Sturdy and weathertight
- Resists dents
- Minimal expansion and contraction
- Formed from domestically sourced, Grade 80 high-tensile steel coils



What contractor support can you expect?

- 1. Job lot quantities can be shipped directly to you. We personally deliver your shipment to ensure on-time deliveries.
- 2. Each shipment (1 sheet to 100) is crated for protection in transit and at the job site.

The wins? A tighter, stronger, and more attractive building!

We Are UL-Certified

- UL Listing Number: R40644
- UL 580 Standard for tests for uplift resistance of roof assemblies
- UL 790 Standard test methods for fire tests of roof coverings
- UL 2218 Impact resistance of prepared roof covering materials

How we make your panels durable

- 1. First, we coat the panel with Galvalume, a patented aluminum-zinc alloy coating for extra protection.
- 2. Next, the panels are bonderized, and we apply an OPTIMA Primer for flexibility.
- 3. Finally, over the OPTIMA base, we apply CERAM-A-STAR. CERAM-A-STAR is a ceramic, pigmented silicone polyester, which supplies strength, hardness, and durability against harsh weather conditions.

Layers of Excellence from Bottom to Top

- Pigmented Backer
- Urethane Primer
- Bonderizing Treatment
- Zinc/Aluminum Coating
- Steel Substrate
- Ceramic/Inorganic Pigmented Silicone Polyester Baked Enamel


WHY CERAM-A-STAR?

- It's extremely resistant to mildew.
- It protects against sun, wind, rain, heat, and cold.
- It doesn't blister, peel, or flake.

ABOUT: AkzoNobel

AkzoNobel is a world-leading paint and coating manufacturer based in the Netherlands. Their coatings and paint are highly regarded by manufacturers and contractors alike.

Trim available in 24-gauge and 26-gauge



6146 Lincoln Highway Bedford, PA 15522 KAUFFMAN M E T A L S

Tel. 814.623.6044 Fax: 814.623.5599 Kauffmanmetals.com